

PRODUCT-DETAILS

3KDE175523L9500

AI950N Temperature (TI4)



General Information

Product ID3KDE175523L9500ABB Type DesignationAl950NCatalog DescriptionAl950N Temperature (TI4)

The remote S900 I/O system can be installed in non-hazardous areas or directly in Zone 1 or Zone 2 hazardous area depending on the selected system variant. S900 I/O communicates with the control system level using PROFIBUS DP standard. The I/O system can be installed directly in the field, therefore the costs for mashalling and wiring are reduced.

The system is sturdy, error-tolerant and easy to service. Integrated disconnection mechanisms allow replacement during operation, meaning that there is no need to interrupt the primary voltage in order to exchange the power supply units.

S900 I/O type N. For installation in safe (= non-hazardous) area.

AI950N Temperature Input (TI4), supporting Pt100, Pt1000, Ni100 in 2-/3-/4-technology. Thermocouples type B, E, J, K, L, N, R, S, T, U, mV. Isolated inputs channel by channel.

Long Description

- Redundancy (Power and Communication)
- Hot Configuration in Run
- Hot Swap functionality
- Extended Diagnostic
- Excellent configuration and diagnostics via FDT/DTM
- G3-coating for all components
- Simplified maintenance with auto-diagnostics
- Pt 100, Pt 1000, Ni 100, 0...3kOhms in 2/3/4 wire technique
- Thermocouple Type B, E, J, K, L, N, R, S, T, U, mV

Thermocouple Type B, E, J, K, L, N, R, S, T, U, mV
 Internal or external cold junction compensation

- Short and break detection - Electrical isolation between input / bus and input / power

- Electrical isolation channel to channel

- 4 channels

Additional Information

Medium Description

Pt100, Pt1000, Ni100 in 2-/3-/4-technology thermocouples type B, E, J, K,
L, N, R, S, T. Isolated inputs channel by channel.

Product Type

I-O_Module

Ordering

Country of Origin

HS Code

853890-- Parts suitable for use solely or principally with the apparatus of heading 85.35, 85.36 or 85.37.- Other
Customs Tariff Number

Germany (DE)

853890-- Parts suitable for use solely or principally with the apparatus of heading 85.35, 85.36 or 85.37.- Other
85389099

Dimensions

Product Net Depth / Length

Product Net Height 20 mm

Product Net Width 104 mm

Product Net Weight 0.13 kg

Technical

Channel Type	Al
Number of Input	4
Channels	

3KDE175523L9500

Environmental	
RoHS Status	Following EU Directive 2011/65/EU
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0

Categories

Control System Products \rightarrow I/O Products \rightarrow S900 I/O \rightarrow S900 I/O - Modules \rightarrow Al950N Temperatures \rightarrow Al950N Temperature Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules

